

30th ANNIVERSARY

**REMO**  
ELECTRONICS

KILL UP TO 99.9%  
OF ALL KNOWN VIRUSES  
AND BACTERIA\*



UV AIR GERMICIDAL PURIFIERS  
FOR RESIDENTIAL AND PUBLIC PREMISES

**CATALOG 2022**





Visit our Amazon store

[www.amazon.com/shops/remo-electronics](http://www.amazon.com/shops/remo-electronics)



## OEM/ODM WELCOME

SEMZ REMO LLC (REMO Electronics) is open to cooperation and partnership.

We have gained vast experience in production for well-known OEM brands.



### LOGISTICS INFORMATION

---



| Weight, kg



| Package size, mm



| Quantity a package, pcs



| Quantity a pallet, pcs

# ABOUT REMO ELECTRONICS COMPANY

REMO Electronics Company is a big Russian manufacture based in Saratov city. Our production capacities allow to produce hundreds and even thousands of devices per day. The plant is equipped with the most modern and high-productive equipment. This way, your order will be carried out as soon as possible and will meet the highest quality standards!



## REMO HISTORY

REMO manufacture was founded in 1991. Now this is a factory with full cycle of production from manufacturing, where metal is transformed into parts, to packaging. REMO is proud of it's workers. That's over 300 professionals pouring their heart into their work every day. The cohesive work of the team allows to produce more than a million units per year in accordance with international quality control standards.






## ABOUT UV AIR PURIFIERS

Apparently outbreaks of respiratory infections are a seasonal and usual thing. The new way of preventing rising morbidity has been appearing with the advent Covid-19. UV air germicidal air purifiers (which replaced quartz lamps) will help to reduce the risk of diseases. The device has no contraindications or restrictions in use. Air Purifiers make possible air disinfection in the presence of patients and staff in hospitals, maternity hospitals and other health facilities. Air is being disinfected by recirculation through UV irradiation from a special ozone-free UV-C lamp inside the device. UV-C is electromagnetic radiation with a wavelength in the part of the ultraviolet spectrum spanning the 200-280nm range, reaching peak effectiveness at wavelength of 254nm. This short wavelength causes DNA and RNA to break, thereby inactivating microorganisms and rendering them harmless, unable to reproduce. Thanks to this germicidal property UV-C is an effective method for rapid disinfection.

The devices are made of metal which protects consumers from UV light. The metal body is UV resistant (unlike plastic boxes) and blocks harmful irradiation inside.

Thereby the device can be used in the presence of people. Our Air Purifiers have a low noise level, that is why the devices are great for use at home and office. REMO make a lot of efforts and uses additional production capacity to develop an air purification culture in accordance with all norms. Effective air disinfection is carried out thanks to the operation of the device (kills up to 99.9 % of all known viruses and bacteria).





# RECOMENDATIONS ON THE CHOICE OF THE UV AIR PURIFIERS DEPENDING ON THE ROOM SIZE

OVU	Productivity m³/h(CFM)	QTY of UV Lamps pcs./Watt	room size, m²(sq. ft)																
			30 (320)	40 (430)	60 (645)	80 (860)	100 (1100)	130 (1400)	150 (1600)	180 (1950)	200 (2100)	220 (2300)	230 (2480)	240 (2600)	250 (2700)	280 (3000)	300 (3300)	350 (3800)	3000 (32300)
01	30(18)	1x9																	
02-1	40(23)	2x9																	
03-1	60(35)	1x15																	
02	60(35)	2x9																	
02-2	60(35)	2x9																	
03	60(35)	2x15																	
07-3	120(70)	3x15																	
07-4	120(70)	4x15																	
04	120(70)	2x30																	
03-T	140(84)	2x15																	
07-3-T	280(168)	3x15																	
05	120(70)	3x30																	
07-5	120(70)	5x15																	
06	120(70)	4x30																	
07-4-T	280(168)	4x15																	
04-T	280(168)	2x30																	
07-5-T	280(168)	5x15																	
05-T	280(168)	3x30																	
06-T	280(168)	4x30																	
33	1650 (971)	16x15																	

with standard ceilings



# SOLARIS

OVU-01P

OVU-02P

## UV AIR PURIFIER

Is intended for air disinfection at home and office. Air is being disinfected by recirculation through UV light emanating from a lamp inside the device. Air purifier can be placed on horizontal surface or on the wall, has the function of a soft light. The device has a night mode with reduced noise level. Semitransparent plastic box is UV resistant and blocks harmful irradiation inside. Thereby the device can be used in the presence of people and plants.



### CHARACTERISTICS

#### Benefits

- Closed-type device.
- Suitable for use in presence of people, pets and houseplants.
- Ozone-free.
- Has the function of a soft light.

#### Abilities

- Productivity up to 30 cbm/hour.
- Night mode with low noise level.
- 3 colour variants: blue, white and black.

#### Package

- Wall mounts bundled.

Specifications	OVU-01P	OVU-02P
Productivity, CBM/hour(CFM)	30(18)	40(23)
Quantity of lamps, pcs	1	2
Power Consumption, VA	15-30	40-55
Bactericidal lamp flow, W	2,4	4,8
Lamp capacity, W	9	
Lamp life, number of hours	9000	
Dimensions, mm	275x245x100	
Installation type	wall mount	
Colour	blue/white/black	

### Logistic information

kg 1,5/1,7  
 290x250x120

5  
 150

### Recommended coverage area

20 sqm	30 sqm	sqm	60 sqm	80 sqm	100 sqm	120 sqm
--------	--------	-----	--------	--------	---------	---------









# SOLAR BREEZE

OVU-01

## UV AIR PURIFIER

Intended for air disinfection at home and office. Air is being disinfected by recirculation through UV light emanating from a lamp inside the device. Perfect fit in the home and office interior.



### CHARACTERISTICS

#### Benifits

- Closed-type device
- Suitable for use in the presence of people, pets and houseplants.
- Ozone-free.
- Compact & minimalistic design allows the device to fit in the interior and will not take up much space.

#### Abilities

- Productivity up to 30 cbm/hour.
- 2 colour variants: black and white.

#### Package

- A pack of changeable filters.
- Completed with a stand.

#### Options



- EU/US/UK/AU plug available.

### Specifications

Productivity, CBM/hour(CFM)	30 (18)
Power consumption, VA	20
Bactericidal flow, W	2,4
Quantity of lamps, pcs	1
Lamp capacity, W	9
Bactericidal flow, W	2,4
Lamp life, hours	9000
Dimensions, mm	445×105×135
Installation type	desktop
Colour	white/ black

### Logistics information

 2  
 420x110x145

 6  
 150

### Recommended coverage area

20 sqm	30 sqm	40 sqm	60 sqm	80 sqm	100 sqm	120 sqm
--------	--------	--------	--------	--------	---------	---------






# SOLAR BREEZE-2

OVU-02-1

## UV AIR PURIFIER

The device is suitable for small office or room in the house. In contrast to "SOLAR BREEZE 1" the device has two 9 Watt germicidal UV lamps. Air purifier is intended for air disinfection at home and office. The device is simple in use - you need to plug the cable in the socket and press on a special switch.



### CHARACTERISTICS

#### Benefits

- Closed-type device
- Suitable for use in presence of people, pets and houseplants.
- Ozone-free.
- Compact & minimalistic design allows device to fit in the interior and will not take up much space.

#### Abilities

- Productivity up to 40 cbm/hour(23 CFM).
- 2 colour variants: black and white.

#### Package

- A pack of changeable filters.
- Completed with a stand.



#### Options



- EU/US/UK/AU plug available.

### Specifications

Productivity, CBM/hour(CFM)	40(23)
Power consumption, VA	45
Bactericidal flow, W	4,8
Quantity of lamps, pcs	2
Lamp capacity, W	9
Lamp life, hours	9000
Dimensions, mm	445×105×135
Installation type	desktop

### Logistics information

                      2  
 420x110x145

                      6  
 150

### Recommended coverage area

20 sqm	40 sqm	60 sqm	80 sqm	100 sqm	120 sqm
--------	--------	--------	--------	---------	---------



---

## OVU-02

---

Stylish design allows the device to fit both in office and home interior. The devices are made of metal. The metal body is not only a pledge of longevity. It is also UV resistant (unlike plastic boxes) and blocks harmful irradiation inside. Simplicity and compact size make the device easy in use.





# SOLAR BREEZE-2

OVU-02-2

## UV AIR PURIFIER

Is intended for air disinfection at home and in the office. The device has an additional top cover for even better protection of eyes from UV light.



### CHARACTERISTICS

#### Benifits

- Closed-type device
- Additional top cover to protect your eyes from UV light, if the purifier is located on the floor.
- Compact desktop device

#### Abilities

- Productivity up to 60 cbm/hour.

#### Package

- Changeable filter.
- 2 colour variants: black and white.



#### Options

- EU/US/UK/AU plug available.

### Specifications

Productivity, CBM/hour(CFM)	60 (35)
Power consumption, VA	50
Bactericidal flow, W	4,8
Quantity of lamps, pcs	2
Lamp capacity, W	9
Lamp life, hours	9000
Dimensions, mm	390x150x150
Installation type	desktop

### Logistics information

 2,6  
 205x190x440

 4  
 48

### Recommended coverage area

20 sqm	40 sqm	60 sqm	80 sqm	100 sqm	120 sqm
--------	--------	--------	--------	---------	---------




# SOLAR BREEZE-3



OVU-03 — OVU-03-1 — OVU-03-T

## UV AIR PURIFIER

Air Purifier is ideal not only for home use, but also for offices, beauty salons and other public places. Air is being disinfected by recirculation through UV light emanating from a lamp inside the device. Wall mount will not take up much space on the wall. Optional Mobile Stand allows to move device from one place to "T" modification means higher performance with the help of more powerful fans.



### CHARACTERISTICS

#### Benefits

- Closed-type device.
- Suitable for use in the presence of people, pets and houseplants.

#### Abilities

- Productivity up to 60 cbm/hour.
- 2 mount types.
- Rapid installation.

#### Options



- Lamp life counter.
- Automatic diagnostics, indication of malfunctions.
- Programmable timer.
- HEPA-filter.
- Charcoal air filter.
- EU/US/UK/AU plug available.



#### Package

- Changeable filters.
- Floor Mobile stand (optional).

Specifications	OVU-03	OVU-03-1	OVU-03-T
Productivity, CBM/hour(CFM)	60(35)	60(35)	140(82)
Power consumption, VA	50	45	70
Bactericidal flow, W	10,2	5,1	10,2
Quantity of lamps, pcs	2	1	2
Lamp capacity, W	15		
Dimensions, mm	557×93×50		
Lamp life, hours	9000		
Installation type	wall mount / floor stand		

#### Logistics information

 3,3  
 640x140x140

 4  
 60

#### Recommended coverage area OVU-03, OVU-03-1

20 sqm	40 sqm	60 sqm	80 sqm	100 sqm	120 sqm	150 sqm	200 sqm	250 sqm	300 sqm	350 sqm
--------	--------	--------	--------	---------	---------	---------	---------	---------	---------	---------

#### Recommended coverage area OVU-03-T

20 sqm	40 sqm	60 sqm	80 sqm	100 sqm	120 sqm	150 sqm	200 sqm	250 sqm	300 sqm	350 sqm
--------	--------	--------	--------	---------	---------	---------	---------	---------	---------	---------

# SOLAR BREEZE-4



OVU-04

OVU-04-T

## UV AIR PURIFIER

The devices are made of metal and provide effective air disinfection over a large area. Powerful 2-lamp device perfect for medical, sport, school, industrial, public premises as well as for home use.  
"T" modification means higher performance with the help of more powerful fans.



### Recommended coverage area OVU-04

20 sqm	40 sqm	60 sqm	80 sqm	100 sqm	120 sqm	150 sqm	200 sqm	250 sqm	300 sqm	350 sqm
--------	--------	--------	--------	---------	---------	---------	---------	---------	---------	---------

### Recommended coverage area OVU-04-T

20 sqm	40 sqm	60 sqm	80 sqm	100 sqm	120 sqm	150 sqm	200 sqm	250 sqm	300 sqm	350 sqm
--------	--------	--------	--------	---------	---------	---------	---------	---------	---------	---------

## CHARACTERISTICS

### Benifits

- Closed-type device.
- Suitable for use in presence of people, pets and houseplants.
- Metal device body allows to sanitize its outer surface.

### Abilities

- Productivity up to 120 cbm/hour.
- Easy changeable filter.
- Device wall mount, rapid installation.

### Options



- Lamp life counter.
- Automatic diagnostics, indication of malfunctions.
- Programmable timer.
- HEPA-filter.
- Charcoal air filter.
- EU/US/UK/AU plug available.

### Package

- Changeable filter.
- Floor Mobile stand (optional).

Specifications	OVU-04	OVU-04-T
Productivity, CBM/hour(CFM)	120(70)	280(168)
Quantity of lamps, pcs	2	
Power consumption, VA	85	125
Bactericidal flow, W	20	
Lamp capacity, W	30	
Dimensions, mm	1055x260x132	
Lamp life, hours	9000	
Installation type	wall mount / floor stand	

### Logistics information

 7,5  
 1080x310x165

 1  
 20







# SOLAR BREEZE-5

OVU-05

OVU-05-T

## UV AIR PURIFIER

Air Purifier ideal for industrial premises, sport, school facilities, residential buildings, offices and also for home use. The device has increased productivity, provides effective air disinfection from viral diseases, flu. Kills up all known viruses, bacterias and mold.

"T" modification means higher performance with the help of more powerful fans.



### CHARACTERISTICS

#### Benifits

- Closed-type device.
- Suitable for use in presence of people, pets and houseplants.
- Ozone-free.
- Metal device body allows to sanitize its outer surface.

#### Abilities

- Productivity up to 120 cbm/hour.
- 3 UV lamps inside.
- Device wall mount, rapid installation.

#### Options

- Lamp life counter.
- Automatic diagnostics, indication of malfunctions.
- Programmable timer.
- HEPA-filter.
- Charcoal air filter.
- EU/US/UK/AU plug available.

#### Package

- Changeable filter.
- Floor Mobile stand (optional).

Specifications	OVU-05	OVU-05-T
Productivity, CBM/hour(CFM)	120(70)	280(168)
Power consumption, VA	115	155
Bactericidal flow, W	30	
Quantity of lamps, pcs	3	
Lamp capacity, W	30	
Dimensions, mm	1055x260x132	
Lamp life, hours	9000	
Installation type	wall mount / floor stand	

#### Logistics information

kg 7,5  
1080x310x165

1  
20

#### Recommended coverage area OVU-05

20 sqm	40 sqm	60 sqm	80 sqm	100 sqm	120 sqm	150 sqm	200 sqm	250 sqm	300 sqm	350 sqm
--------	--------	--------	--------	---------	---------	---------	---------	---------	---------	---------

#### Recommended coverage area OVU-05-T

20 sqm	40 sqm	60 sqm	80 sqm	100 sqm	120 sqm	150 sqm	200 sqm	250 sqm	300 sqm	350 sqm
--------	--------	--------	--------	---------	---------	---------	---------	---------	---------	---------



# SOLAR BREEZE-6

OVU-06

OVU-06-T

## UV AIR PURIFIER

UV air purifier with the highest productivity in "Solar Breeze" line because of 4 UV lamps working at the same time. This model is ideal for industrial premises, offices with high requirements for air disinfection. "T" modification means higher performance with the help of more powerful fans.



### CHARACTERISTICS

#### Benifits

- Closed-type device.
- Suitable for use in presence of people, pets and houseplants.
- Metal device body allows to sanitize its outer surface.

#### Abilities

- Productivity up to 120 cbm/hour.
- Easy changeable filter.
- Device wall mount, rapid installation.

#### Options



- Lamp life counter.
- Automatic diagnostics, indication of malfunctions.
- Programmable timer.
- HEPA-filter.
- Charcoal air filter.
- EU/US/UK/AU plug available.

#### Package

- Changeable filter.
- Floor Mobile stand (optional).

Specifications	OVU-06	OVU-06-T
Productivity, CBM/hour(CFM)	120(70)	280(168)
Power consumption, VA	145	185
Bactericidal flow, W	40	
Quantity of lamps, pcs	4	
Lamp capacity, W	30	
Dimensions, mm	1055x260x132	
Lamp life, hours	9000	
Installation type	wall mount / floor stand	

#### Logistics information

 7,5  
 1080x310x165

 1  
 20

#### Recommended coverage area OVU-06


20 sqm	40 sqm	60 sqm	80 sqm	100 sqm	120 sqm	150 sqm	200 sqm	250 sqm	300 sqm	350 sqm
--------	--------	--------	--------	---------	---------	---------	---------	---------	---------	---------

#### Recommended coverage area OVU-06-T


20 sqm	40 sqm	60 sqm	80 sqm	100 sqm	120 sqm	150 sqm	200 sqm	250 sqm	300 sqm	350 sqm
--------	--------	--------	--------	---------	---------	---------	---------	---------	---------	---------



# SOLAR BREEZE-16




## UV AIR PURIFIER




UV air purifier with high productivity in more compact sturdy body in classic white colour perfect for air disinfection for house use, in gyms, children playrooms, schools, public places.  
"T" modification means higher performance with the help of more powerful fans.

Logistics information

 **kg**

3,3



640x140x140

### CHARACTERISTICS

- Benifits**
  - Closed-type device.
  - Suitable for use in presence of people, pets and houseplants.
  - Metal device body allows to sanitize its outer surface.
- Abilities**
  - Productivity up to 120 cbm/hour.
  - Easy changeable filter.
  - Device wall mount, rapid installation.
- Options**
  - Lamp life counter.
  - Automatic diagnostics, indication of malfunctions.
  - Programmable timer.
  - HEPA-filter.
  - Charcoal air filter.
  - EU/US/UK/AU plug available.
- Package**
  - Changeable filter.
  - Floor Mobile stand (optional).

Specifications	OVU-16-3	OVU-16-3T	OVU-16-4	OVU-16-4T	OVU-16-5	OVU-16-5T
Productivity, CBM/hour(CFM)	120(70)	280(168)	120(70)	280(168)	120(70)	280(168)
Power consumption, VA	70	110	90	130	110	150
Bactericidal flow, W	15,3		20,4		25,5	
Quantity of lamps, pcs	3		4		5	
Lamp capacity, W	15					
Lamp life, hours	9000					
Dimensions, mm	615×258×132					
Installation type	wall mount / floor stand					
Colour	white					

#### Recommended coverage area OVU-16-3, OVU-16-4, OVU-16-5

20 sqm	40 sqm	60 sqm	80 sqm	100 sqm	130 sqm	150 sqm	200 sqm	250 sqm	300 sqm	350 sqm
--------	--------	--------	--------	---------	---------	---------	---------	---------	---------	---------

#### Recommended coverage area OVU-16-3T, OVU-16-4T, OVU-16-5T

20 sqm	40 sqm	60 sqm	80 sqm	100 sqm	130 sqm	150 sqm	200 sqm	250 sqm	300 sqm	350 sqm
--------	--------	--------	--------	---------	---------	---------	---------	---------	---------	---------



# STAND

## FLOOR MOBILE STAND FOR AIR PURIFIERS

The stand is intended for the installation of floor-mounted air purifiers. Fitted with the mobile rollers for easy movement.



### CHARACTERISTICS

#### Benifits

- Mobile rollers for easy movement.
- Sustainable construction.
- Metal construction allows to sanitize its outer surface.



#### Abilities

- There is a handle on the back of the stand for easy movement of the stand and the device.

### Specifications

Material	steel
Dimensions, mm	833x380x380
Pressure on platform, max, kg	50

### Logistics information

 4,5  
 770x175x57

 4  
 100

Recommended pressure on platform, up to

10 kg	30 kg	50 kg	70 kg	90 kg	110 kg
-------	-------	-------	-------	-------	--------



# INDUSTRIAL AIR PURIFIER

OVU-33-116

OVU-33.1-116

## UV AIR PURIFIER

The device is intended for air disinfection in industrial, commercial and public spaces, offices, warehouses. Air is being disinfected by recirculation through UV light emanating from a 16 ozone-free UVC lower pressure lamps inside the device.



### CHARACTERISTICS

#### Benifits

- Closed-type device.
- Suitable for use in presence of people, pets and houseplants.
- Ozone-free.
- Metal device body to sanitize its outer surface.

#### Abilities

- Productivity up to 1650 cbm/hour.
- 16 UV lamps inside.
- Device wall mount rapid installation. Floor placement is possible.

#### Options

- Lamp life counter.
- Automatic diagnostics, indication of malfunctions
- Programmable timer.
- HEPA-filter.
- Charcoal air filter.
- EU/US/UK/AU plug available.

#### Package

- Changeable filter.
- Floor Mobile stand (optional).

### Specifications

Productivity, CBM/hour(CFM)	1650 (971)
Mains voltage, W	495
Bactericidal flow, W	81
Quantity of lamps, pcs	16
Lamp capacity, W	15
Lamp life, hours	9000
Dimensions, mm	720x537x473
Installation type	wall mount / floor stand (option)

### Logistics information



27



720x537x473



## OVU-33-216

You can use germicidal air purifiers for big premises everywhere standing or recurring for disinfection amounts of air as plant's facilities, waiting areas, shopping malls and large stores. The main feature of every industrial air purifier- increased capacity of all blocks, primarily lamps and fans. We have developed devices best equipped for use in large premises.







# START-115

OVU-03 115

## UV AIR PURIFIER

Compact and affordable device for air disinfection in small office or for home use. Purifies the air from pathogens of viral diseases such as influenza, SARS, etc. The device can be placed both on the desk or on the wall mount. Device control is very simple. It is enough to connect the cable to the mains and press the special switch.

### CHARACTERISTICS

#### Benifits

- Closed-type device.
- Suitable for use in presence of people, pets and houseplants.
- Ozone-free.
- Not take much space.
- One UVC lamp.

#### Abilities

- Productivity up to 30 cbm/hour.
- 2 colour variants: black and white.

### Specifications

Productivity, CBM/hour(CFM)	30(18)
Power Consumption, VA	20
Bactericidal lamp flow, W	5,1
Quantity of lamps, pcs	1
Lamp capacity, W	15
Type of the lamp socket	G13
Installation type	desktop/wall mount
Dimensions, mm	557x93x50

### Logistic information

 <u>1,2</u>	 <u>10</u>
 <u>600x97x57</u>	 <u>300</u>

### Recommended coverage area

20 sqm	40 sqm	60 sqm	80 sqm	100 sqm	120 sqm
--------	--------	--------	--------	---------	---------







# RUV-100\*

RUV-1001 — RUV-1002 — RUV-1001-KIDS

## DESKTOP UV AIR PURIFIER

Air purifier intended for small office and home use. Purifies the air and prevents the spread of viruses at office and home. Hi-tech design allows the device to fit in home and office interior, beauty salons, reception desks, hotel rooms. 6 colour variants. Bright coloured children's room appliances are sold with a set of stickers glowing in the dark. The child can create the design by changing the stickers and their location. The device can work at night time creating a soft glow.



### CHARACTERISTICS

#### Benifits

- Closed-type device.
- Suitable for use in presence of people, pets and houseplants.
- Ozone-free.
- Compact desktop placement.
- One UVC lamp.

#### Abilities

- Productivity up to 60 cbm/hour.
- 4 bright colour variants for kids room.



#### Package



- Changeable filters.

### Specifications

Productivity, CBM/hour(CFM)	30(18)
Power Consumption, VA	20
Bactericidal lamp flow, W	2,4
Quantity of lamps, pcs	1
Lamp capacity, W	9
Type of the lamp socket	2G7
Installation type	desktop
Dimensions, mm	260x100x100
Colour	black/white/pink/ blue/yellow/green

### Logistic information

 1,2  
 260x100x100

 10  
 200

### Recommended coverage area

20 sqm	40 sqm	60 sqm	80 sqm	100 sqm	120 sqm
--------	--------	--------	--------	---------	---------



# START

RUV-1004

## DESKTOP UV AIR PURIFIER

The most compact and minimalistic air purifier. Intended for small office and home use. Purifies the air and prevents the spread of viruses at office and home. The device is simple in use- you need to plug the cable in the socket and press on a special switch.

Air purifier is ideal for industrial premises, offices and for home use. Minimalistic design allow the device to fit in the strict interior. The advantage of this model is its affordability and reliability. Device modifications vary in number of 15 Watt lamps. You can choose a model depending on the size of the room and the productivity of the device.



### CHARACTERISTICS

#### Benifits

- Closed-type device.
- Suitable for use in presence of people, pets and houseplants.
- Ozone-free.
- Compact desktop placement.
- One UVC lamp.

#### Abilities

- Productivity up to 30 cmb/hour.



#### Package

- Changeable filters.

### Specifications

Productivity, CBM/hour(CFM)	30(18)
Power Consumption, VA	20
Bactericidal lamp flow, W	2,4
Quantity of lamps, pcs	1
Lamp capacity, W	9
Type of the lamp socket	2G7
Installation type	desktop
Dimensions, mm	260x100x100

### Logistic information

 1,1  
 260x100x100

 10  
 200

### Recommended coverage area

20 sqm	40 sqm	60 sqm	80 sqm	100 sqm	120 sqm
--------	--------	--------	--------	---------	---------



# RUV-200\*

RUV-2001

RUV-2002

RUV-2001-KIDS

## DESKTOP UV AIR PURIFIER

Air purifier is intended for small office or for home use. The device is simple in use- you need to plug the cable in the socket and press on a special switch. 6 colour variants. Bright coloured children's room appliances are sold with a set of stickers glowing in the dark. the child can create the design by changing the stickers and their location. The device can work at night time creating a soft glow.



### Recommended coverage area

20 sqm

40 sqm

60 sqm

80 sqm

100 sqm

120 sqm

### CHARACTERISTICS

#### Benifits

- Closed-type device.
- Suitable for use in presence of people, pets and houseplants.
- Ozone-free.
- Compact desktop placement.

#### Abilities

- Productivity up to 40 cbm/hour.
- 4 bright colours for kids room.

#### Package

- Changeable filter.

### Specifications

Productivity, CBM/hour(CFM)	40(23)
Power Consumption, VA	50
Bactericidal lamp flow, W	4,8
Quantity of lamps, pcs	2
Lamp capacity, W	9
Type of the lamp socket	2G7
Installation type	desktop
Dimensions, mm	250x197x100
Colour	black/white/pink/blue/ yellow/green

### Logistic information

kg 1,7  
250x197x100

5  
120



# RUV-300\*



RUV-3001 — RUV-3002 — RUV-3003

## FLOOR-STANDING UV AIR PURIFIER



### CHARACTERISTICS

#### Benefits

- Closed-type device.
- Suitable for use in presence of people, pets and houseplants.
- Metal device body allows any sanitary processing.

#### Abilities

- Simple in use.
- Placed on horizontal surfaces.
- Device wall mount rapid installation.

#### Package

- Changeable filter.

Air purifier is ideal for industrial premises, offices and for home use. Minimalistic design allows the device to fit in the strict interior. The advantage of this model is its affordability and reliability. Device modifications vary in number of 15 W lamps. You can choose a model depending on the size of the room and the productivity of the device.

Specifications	RUV-3001	RUV-3002	RUV-3003
Productivity, CBM/hour(CFM)	60(35)	140(82)	140(82)
Power Consumption, VA	45	70	85
Bactericidal lamp flow, W	5,1	10,2	15,3
Quantity of lamps, pcs	1	2	3
Lamp capacity, W	15		
Type of the lamp socket	G13		
Installation type	floor stand		
Dimensions, mm	569x128x125		
Recommended coverage area, m³	60	100	130

### Logistic information



RUV-3001 2,4



569x128x125



RUV-3002 2,6



4



RUV-3002 2,8



80



# RUV-4001

## UV AIR PURIFIER



### CHARACTERISTICS

#### Benifits

- Closed-type device.
- Suitable for use in presense of people, pets and houseplants.
- Ozone-free.
- Device wall-mount rapid installation.
- One UVC lamp.

#### Abilities

- Productivity up to 140 cbm/hour.

#### Package

- Changeable filter.

The device in classic white colour. In this design the air purier fits almost any interior. Air disinfection efficiency 99%. Air purifier is completely safe, so there is no need to leave the room during operation of the device. The device is simple in use- you need to plug the cable in the socket and press on a special switch.

Specifications	
Productivity, CBM/hour(CFM)	140(82)
Power Consumption, VA	65
Bactericidal lamp flow, W	10
Quantity of lamps, pcs	1
Lamp capacity, W	30
Type of the lamp socket	G13
Installation type	wall mount / floor stand
Dimensions, mm	1007x150x150
Recommended coverage area, m³	100

Logistic information	
3,9	4
1006x277x128	50



# RUV-400\*



RUV-4002

RUV-4003

RUV-4004

## UV AIR PURIFIER



### CHARACTERISTICS

#### Benefits

- Closed-type device.
- Suitable for use in presence of people, pets and houseplants.
- Ozone-free.
- Metal device body allows any sanitary processing.

#### Abilities

- Productivity up to 280 cbm/hour.
- Rapid device installation.
- Slots for wall mounting are located on the back of the device.

#### Package

- Changeable filters.
- Floor Mobile Stand (optional).

Air purifier is intended for air disinfection in residential buildings, industrial premises, offices, malls, warehouses. Air is being disinfected by recirculation through UV light emanating from a lamps inside the device. Device modifications vary in number of 30 Watt lamps. You can choose a model depending on the size of the room and the productivity of the device.

Specifications	RUV-4002	RUV-4003	RUV-4004
Productivity, CBM/hour(CFM)	280(168)		
Bactericidal lamp flow, W	20	30	40
Quantity of lamps, pcs	2	3	4
Lamp capacity, W	30		
Type of the lamp socket	G13		
Power Consumption, VA	125	155	185
Installation type	wall mount / floor stand		
Dimensions, mm	1006x277x128		
Recommended coverage area, M <sup>3</sup>	150	220	240

### Logistic information

 RUV-4002 6,3  
 1006x277x128

 RUV-4003 6,5  
 4

 RUV-4004 6,7  
 25



# AUTO -1

OVU-13

## UV AIR PURIFIER FOR VEHICLES OVU-13

This Air Purifier are intended for air disinfection in the cabin of a car or truck. Cost-effective and easy in use: low level of electricity consumption, minor effect on battery charge. Attach the air purifier for vehicles to the headrest or to the rear shelf of your car. The ride will be completely safe with such protection.



### CHARACTERISTICS

#### Benifits

- Closed-type device.
- Suitable for use in presence of people, pets and houseplants.
- Ozone-free.
- Compact size and minimalistic design.

#### Abilities

- Productivity up to 15 cbm/hour.
- 2 mount types.
- Power from 12V "cigarette lighter" socket.



#### Package

- Changeable filter.
- Head restraint fixing organiser.

### Specifications

Productivity, CBM/hour(CFM)	15(9)
Bactericidal flow, W	2,4
Quantity of lamps, pcs	1
Lamp capacity, W	9
Lamp life, hours	9000
Dimensions, mm	298x143x81
Colour	Black

### Logistics information

 1  
 420x110x145

 6  
 150

### Recommended types of transport



Passander car





Truck cabin



Bus









# AUTO -2

OVU-14

## UV AIR PURIFIER FOR VEHICLES OVU-14

The device is intended for air disinfection inside the car. Design, special methods of mounting and type of electrical supply make it possible to use the device either in a personal car or in commercial transport.



### CHARACTERISTICS

#### Benifits

- Closed-type device.
- Suitable for use in presence of people, pets and houseplants.
- Ozone-free.
- Compact size and minimalistic design.

#### Abilities

- Productivity up to 30 cbm/hour.
- 2 mount types.

#### Package

- Changeable filter.
- Head restraint fixing organiser.
- Adapter for 12V "cigarette lighter" socket

### Specifications

Productivity, CBM/hour(CFM)	30(18)
Bactericidal flow, W	4,8
Quantity of lamps, pcs	2
Lamp capacity, W	9
Lamp life, hours	9000
Dimensions, mm	326x267x91
Colour	black

### Logistics information

 kg	2		6
	375x260x80		120

### Recommended types of transport



Passanger car



Truck cabin



Bus






# AUTO -3

OVU-15

## UV AIR PURIFIER FOR VEHICLES OVU-15

UV air purifier for vehicles is a closed-type device, intended for air disinfection from viruses, bacteria and other pathogenic air flora in a vehicle, is intended for work as during driving of a car as on parking. Safe work without time limitations in the presence of people and pets is guaranteed.



### CHARACTERISTICS

#### Benifits

- Close-type device.
- Suitable for use in presence of people, pets and house plants.
- Ozone-free.
- Special reinforced construction.

#### Abilities

- Productivity up to 60 cbm/hour.
- 24V powered.



#### Package

- Changeable filter.
- Mounting kit included.

### Specifications

Productivity, CBM/hour(CFM)	60(35)
Power consumption, VA	60±10
Bactericidal flow, W	10,2
Quantity of lamps, pcs	2
Lamp capacity, W	15
Lamp life, hours	9000
Dimensions, mm	575x132x150
Colour	white

### Logistics information

 3,8  
 640x140x140

 4  
 60

### Recommended types of transport




Truck cabin



Van



Bus, trolleybus, tram, subway





# UVI-1209

UVI-1209

## UV DISINFECTION BOX

UV disinfection box is a special device intended for disinfection of objects that can not be treated with disinfectants, such as paper documents, folders, correspondence, etc. The device can be also useful in the home use for disintecting toys, soft toys and other items, including cell phones and pads.

Disinfection box is very convenient not only for office papers, but also for moms of kids who have a lot of toys, teddy bears and constructional parts. You can't wash them all out! Device kills up to 99,9% of dangerous viruses and bacteria, disinfects toys and other household items.



### Logistics information



13,5



1



483x613x285

### CHARACTERISTICS

#### Benifits

- Closed-type device.
- Safe for people.
- Ozone-free.
- In-built timer.

#### Abilities

- Automatic on/off mode.
- Available in 4 bright colors.

#### Options

- EU/US/UK/AU plug available.



### Specifications

Bactericidal flow, W	4,8
Power consumption, VA	25
Quantity of lamps, pcs	2
Lamp capacity, W	9
Cap type	2G7
Lamp life, hours	9000
Dimensions, mm	432x550x231



# AURORA

OVU-12

## UV GERMICIDAL IRRADIATOR

FOR AIR AND SURFACE DISINFECTION

The device is intended to disinfect clothes, shoes and other personal things by means of the UV light. OVU-12 is not only for home use, but also good for office to disinfect documents, computers, phones etc.



### CHARACTERISTICS

#### Benifits

- Foldable construction.
- Ozone-free.
- Electronic timer.
- No need for a special service.

#### Abilities

- Kills up to 99.9% of all known viruses in the air and on the different surfaces at home and in the office will keep your family healthy.

#### Attention!

- OVU-12 "AURORA" is open-type device. Strictly forbidden for use in presence of people, pets and plants.

#### Options

- EU/US/UK/AU plug available.

### Specifications

Power consumption, VA	15
Bactericidal flow, W	2,4
Radiation type	UVC
Quantity of lamps, pcs	1
Lamp capacity, W	9
Maximum level UV radiation, nm	253
Installation type	desktop

### Logistics information

 kg	2		6
	235x210x160		

# CONTACTS AND INFORMATION

## REMO-WEST AND EAST EUROPE, RUSSIA

**Phone:** +1-216-925-45-56

+7-845-249-52-33

**E-mail:** [export@remoltd.com](mailto:export@remoltd.com)

[airuvpurifier.com](http://airuvpurifier.com)

## REMO-AMERICA

**Address:** 505 N. Revere Rd.

Akron, OH 44333

USA

**Phone:** +1-216-533-51-55

[remo\\_america@remoltd.com](mailto:remo_america@remoltd.com)

30th ANNIVERSARY

**REMO**  
ELECTRONICS

